HEDIS[®] Tip Sheet **Effectiveness of Care Measure**



Cervical Cancer Screening

Learn how to improve your Cervical Cancer Screening (CCS) HEDIS¹ rates by using this tip sheet for key details about its measure, codes, and guidance for documentation.

Cervical cancer screening, such as a Pap or human papillomavirus (HPV) test, can identify changes in the cervix before cancer develops or when i cervicc deaths

when it's in its earl cervical cancer wil	the stages in the cervix before cancer develops of y stages. It's estimated that 14,100 cases of invasive be diagnosed in 2022 with projections of 4,280 m cervical cancer. ²
Measure	 Patients who are 21-64 years of age who were screened for cervical cancer using any of the following criteria³: Patients 21-64 years of age who had cervical cytology performed within the last three years. Patients 30-64 years of age who had cervical high-risk human papillomavirus (hrHPV) testing performed within the last five years. Patients 30-64 years of age who had cervical cytology/high-risk human papillomavirus (hrHPV) cotesting within the last five years.
Exclusions	 Members who meet the following criteria anytime during the measurement year: In hospice or using hospice services, or Died any time during the measurement year, or Receiving palliative care. Members who have the following history anytime during the measurement year: Hysterectomy with no residual cervix, Cervical agenesis, or Acquired absence of cervix

¹HEDIS – Healthcare Effectiveness Data and Information Set.

² American Cancer Society, 2022, Cervical Cancer - What Are the Key Statistics about Cervical Cancer. Retrieved from www.cancer.org/cancer/cervicalcancer/detailedguide/ arrived residual contraction of the second se

CPT Copyright 2017 American Medical Association. All rights reserved. CPT® is a registered trademark of the American Medical Association.

Exclusions					
Description	Code				
Hysterectomy with no residual cervix	 CPT: 51925, 56308, 57530, 57531, 57540, 57545, 57550, 57555, 57556, 58150, 58152, 58180, 58200, 58210, 58240, 58260, 58541, 58542, 58543, 58544, 58262, 58263, 58267, 58270, 58275, 58280, 58285, 58290, 58291, 58292, 58293, 58294, 58548, 58550, 58552, 58553, 58554, 58570, 58571, 58572, 58573, 58575, 58951, 58953, 58954, 58956, 59135, 59525 ICD-10PCS: OUTCOZZ, OUTC4ZZ, OUTC7ZZ, OUTC8ZZ 				
Absence of cervix	ICD-10CM: Q51.5, Z90.710, Z90.712				

Best Practices	Billing Codes Codes to identify Cervical Cancer Screening	
• During office visits, check to see if patient is due for any of the following:	Description	Code
Pap test.Well visit.	Cervical	CPT: 88141, 88142, 88143, 88147,
• Sick visit.	Cytology Lab Test	88148, 88150, 88152, 88153, 88164,
 Urine pregnancy test. 		88165, 88166, 88167, 88174, 88175
• Chlamydia/sexually transmitted infection (STI) screenings.		HCPCS: G0123,G0124, G0141, G0143,
Assess the patient's risk; may include sexual history, contraceptive		G0144, G0145, G0147, G0148, P3000,
practices, and/or family history of cancer.Implement standing orders for cervical cancer screening.		P3001, Q0091
 End screenings for women age 65 or older, if the individual has had a test 		
performed within five years with:	Cervical Cytology	SNOMED CT: 168406009,
• Three consecutive negative cytology results, or	Result of Finding	168407000, 168408005, 168410007,
• Two consecutive negative cytology plus HPV test results within 10		168414003, 168415002, 168416001,
years.		168424006, 250538001, 268543007, 269957009, 269958004
• Display culturally appropriate posters and brochures in patient areas to encourage patients to talk to providers about cervical cancer screening.		269959007, 269960002, 269961003,
 Request to have results of Pap tests sent over if completed at OB/GYN 		269963000, 275805003, 281101005
visits.		309081009, 310841002, 310842009,
• Evidence of hrHPV testing within the last five years also captures patients		416030007, 416032004, 416033009
who had co-testing.		439074000, 439776006, 439888000, 441087007, 441088002,
 Always include dates of service, specific test names and results in the medical record. 		441094005
Maintain documentation for history of total hysterectomy (TAH or TVH), or		441219009, 441667007, 700399008,
radical abdominal or vaginal hysterectomy and bill ICD-10 codes for any of		700400001, 1155766001,
the following:		62051000119105
Acquired absence of both cervix and uterus, cervix with remaining		62061000119107, 98791000119102
uterus, or agenesis and aplasia of cervix. Documentation of a "hysterectomy" alone will not meet the intent of the exclusion.	High-risk HPV Test	CPT: 87624, 87625
Biopsies are diagnostic and therapeutic, and not valid for primary cervical		HCPCS: G0476
cancer screening.		
• Member reported information documented in the patient's medical record		
by a care provider is acceptable as long as:		
There is a date and result of the test, orThere is a date of the hysterectomy and acceptable documentation of		
no residual cervix.		
• Educate patients that cervical cancer screening is a covered preventive		
service.		

*Health Net of California, Inc., Health Net Community Solutions, Inc. and Health Net Life Insurance Company are subsidiaries of Health Net, LLC and Centene Corporation. Health Net is a registered service mark of Health Net, LLC. All other identified trademarks/service marks remain the property of their respective companies. All rights reserved.